

# Material Safety Data Sheet

according to Regulation (EU) 2015/830

Revision:03

Revision Date: 2024-08-22

Print Date : 2018-12-20



## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

**Product Name:** PROCRYLA- Acrylic Liquid

**CAS Number:** 80-62-6

**EINECS number:** 201-297-1

**Index number:** 607-035-00-6

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### 1.3. Details of the supplier of the safety data sheet

**Company Name:** President Dental GmbH

**Street:** Kesselbodenstrasse 5

**Zip-Code / Town:** 85391, Allershausen

**Web:** www.presidentdental.com

**Contact for technical information:** +49 8166 389 9 820

**Phone / Fax / E-Mail:** +49 8166 389 9 820 / +49 8166 389 9 821 / info@presidentdental.com

### 1.4. Emergency Telephone Number



+49 8166 389 9 820 (8.00 am – 4.30 pm Mon-Fri)

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

<b>Classification under CLP:</b>	Flam.Liq.2:H225; STOT SE 3: H335; Skin Irrit 2: H315; Skin Sens. 1:H317
<b>Most important adverse effects:</b>	Highly flammable liquid and vapour. May cause respiratory irritation. Causes skin irritation. May cause an allergic skin reaction.

### 2.2. Label Elements

<b>Hazard statements:</b>	H225: Highly flammable liquid and vapour. H335: May cause respiratory irritation. H315: Causes skin irritation. H317: May cause an allergic skin reaction.
<b>Hazard pictograms:</b>	GHS02: Flame GHS07: Exclamation mark  
<b>Signal words:</b>	Danger
<b>Precautionary statements:</b>	P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P243: Take precautionary measures against static discharge. P240:

# Material Safety Data Sheet

according to Regulation (EU) 2015/830



Revision:03

Revision Date: 2024-08-22

Print Date : 2018-12-20

	<p>Ground/Bond container and receiving equipment.</p> <p>P280: Wear protective gloves/protective clothing/eye protection/face protection. P303+361+353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.</p> <p>P304+340: IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>P307+311: IF exposed or concerned: Call a POISON CENTER/doctor/.</p> <p>P410+403: Protect from sunlight. Store in a well-ventilated place.</p>
--	--

## 2.3. Other Hazards

Other Hazards :	Lachrymator
PBT:	This Product is not identified as aPBT/vPvB substance

## SECTION 3: Composition/information on ingredients

Chemical Name	CAS No.	EINECS number:	Contains:
PROCRYLA-Acrylic Liquid	80-62-6	201-297-1	Ethylene glycol dimethacrylate; CAS 97-90-5 ; H317 H335; 4-6%,Methyl Methacrylate< 99%

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

Inhalation	Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor
Eye Contact:	Bathe the eye with running water for 15 minutes. Consult a doctor.
Skin Contact:	Remove all contaminated clothes and footwear immediately unless stuck to skin. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Consult a doctor.
Ingestion	Do not induce vomiting. Wash out mouth with water. Transfer to hospital as soon as possible.

### 4.2. Most important symptoms and effects, both acute and delayed

Inhalation:	There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.
Eye Contact:	There may be irritation and redness. The eyes may water profusely.
Skin Contact:	There may be irritation and redness at the site of contact. An itchy rash may occur at the site of contact.
Ingestion:	There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur. There may be vomiting and diarrhoea. .

# Material Safety Data Sheet

according to Regulation (EU) 2015/830



Revision:03

Revision Date: 2024-08-22

Print Date : 2018-12-20

## 4.3. Indication of any immediate medical attention and special treatment needed

Delayed / immediate effects:	Immediate effects can be expected after short-term exposure.
------------------------------	--

## SECTION 5: Fire Fighting Measures

### 6.3. Extinguishing media

Extinguishing media:	Water spray. Alcohol resistant foam. Dry chemical powder. Carbon dioxide.
Immediate / special Treatment :	Show this safety data sheet to the doctor in attendance

### 6.3. Special Hazards arising from the substance or mixture

Exposure Hazards:	In combustion emits toxic fumes. Vapour may travel considerable distance to source of ignition and flash back.
-------------------	--

### 6.3. Advice for firefighters

	Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.
--	--

## SECTION 6: Accidental release measures

### 6.1. Personal Precautions, protective equipment and emergency procedures.

	Refer to section 8 of SDS for personal protection details. Eliminate all sources of ignition. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Evacuate the area immediately. Turn leaking containers leak-side up to prevent the escape of liquid.
--	--

### 6.2 Environmental precautions

	Do not discharge into drains or rivers. Contain the spillage using bunding.
--	---

### 6.3. Methods and material for containment and cleaning up

Clean-up procedures:	Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method. Do not use equipment in clean-up procedure which may produce sparks. The fire brigade must be present at any clean-up operation of larger spills.
----------------------	--

### 6.4. Reference to other sections

# Material Safety Data Sheet

according to Regulation (EU) 2015/830

Revision:03

Revision Date: 2024-08-22

Print Date : 2018-12-20



Refer to section 8 of SDS.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Handling requirements:	Ensure there is exhaust ventilation of the area. Use non-sparking tools. Avoid direct contact with the substance.
------------------------	---

### 7.2. Conditions for safe storage, including any incompatibilities.

Storage conditions:	Store in a cool, well ventilated area. Keep away from sources of ignition. Keep container tightly closed. Keep away from direct sunlight. Prevent the build up of electrostatic charge in the immediate area. Ensure lighting and electrical equipment are not a source of ignition.
---------------------	--

### 7.3. Specific and use(s)

No data applicable

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Workplace exposure limits:

Respirable dust

state	8 hour TWA	15 min. STEL	15 min. STEL
UK	50 ppm	100 ppm	

### DNEL/PNEC values

No data available.

### 8.2. Exposure Controls

Engineering measure:	Ensure there is exhaust ventilation of the area. Ensure lighting and electrical equipment are not a source of ignition.
Respiratory protection:	Gas/ vapour cartridge combination ABEK (EN 14387)
Hand Protection:	Butyl gloves. Breakthrough time of the glove material > 1 hour.
Eye protection:	Safety glasses with side-shields. Ensure eye bath is to hand.
Skin protection:	Protective clothing, antistatic.
Environmental:	Prevent from entering in public sewers or the immediate environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

State:	Liquid
Solubility in water:	No data available.

# Material Safety Data Sheet

according to Regulation (EU) 2015/830

Revision:03

Revision Date: 2024-08-22

Print Date : 2018-12-20



Boiling point/range°C:	100
Flash Point°C	10

## 9.2. Other Information

	No data available
--	-------------------

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

	Stable under recommended transport or storage conditions
--	--

### 10.2. Chemical Stability

	May polymerise on exposure to light. Product should be inhibited to avoid polymerisation and evolution of heat. Do not blanket or mix with oxygen free gas as this will render the inhibitor ineffective
--	--

### 10.3. Possibility of Hazardous Reactions

	Hazardous reactions will not occur under normal transport or storage conditions. Polymerisation may occur on exposure to conditions or materials listed below. Polymerisation may generate enough heat and gases for fires/explosions.
--	---

### 10.4. Conditions to avoid

	Direct sunlight. Heat. Sources of ignition. Flames.
--	---

### 10.5 Incompatibles materials

Materials to avoid:	Oxidising agents. Peroxides Amines. Bases. Acids. Reducing agents. Halogens.
---------------------	--

### 10.6. Hazardous decomposition products

Haz. Decomp. Products:	In combustion emits toxic fumes of carbon dioxide / carbon monoxide.
------------------------	--

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

#### Toxicity values:

Route	Species	Test	Value	Units
ORL	RAT	LD50	7872	mg/kg
ORL	MUS	LD50	3625	mg/kg
IPR	RAT	LD50	1328	mg/kg

# Material Safety Data Sheet

according to Regulation (EU) 2015/830

Revision:03

Revision Date: 2024-08-22

Print Date : 2018-12-20



ORAL	RAT	LD50	(FOR CAS 97-90-5)33	mg/kg
------	-----	------	---------------------	-------

## Relevant hazards for substance:

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Respiratory/skin sensitisation	DRM	Hazardous: calculated
STOT-single exposure	INH	Hazardous: calculated

## Symptoms / routes of exposure

**Skin contact:** There may be irritation and redness at the site of contact. An itchy rash may occur at the site of contact.

**Eye contact:** There may be irritation and redness. The eyes may water profusely.

**Ingestion:** There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur. There may be vomiting and diarrhoea.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.

**Delayed / immediate effects:** Immediate effects can be expected after short-term exposure.

**Other information:** Not applicable.

## Further Information

No data is available on this product
--------------------------------------

## SECTION 12: Ecological information

### 12.1. Toxicity

#### Ecotoxicity values:

Species	Test	Value	Units
BLUEGILL(Lepomis macrochirus)	96H LC50	283	mg/l
Daphnia magna	48H EC50	69	mg/l
FISH	96H LC50	(FOR CAS:97-90-5)15	mg/l

### Persistence and degradability

Persistence and degradability:	Biodegradable.
--------------------------------	----------------

### 12.3. Bioaccumulative potential

No data available
-------------------

# Material Safety Data Sheet

according to Regulation (EU) 2015/830



Revision:03

Revision Date: 2024-08-22

Print Date : 2018-12-20

## 12.4. Mobility in Soil

	No data available
--	-------------------

## 12.5. Results of PBT and vPvB assessment

PBT identification:	This product is not identified as a PBT/vPvB substance.
---------------------	---

## 12.6. Other adverse effects

	No data is available
--	----------------------

## SECTION 13: Disposal Considerations

### 13.1. Waste Treatment methods

Other adverse effects:	No data available.
Disposal operations:	Transfer to a suitable container and arrange for collection by specialised disposal company.
Disposal of packaging	Dispose of in a regulated landfill site or other method for hazardous or toxic wastes.
NB:	The user's attention is drawn to the possible existence of regional or national regulations regarding disposal

## SECTION 14: Transport information

### 14.1 UN number

	UN1993
--	--------

### 14.2. UN proper shipping name

	FLAMMABLE LIQUIDS
--	-------------------

### 14.3. Transport hazard class(es)

Transport class:	3
------------------	---

### 14.4. Packing Group

Packing Group	II
---------------	----

### 14.5. Environmental hazards

Environmental Hazards	No
-----------------------	----

### 14.6. Special precautions for user

# Material Safety Data Sheet

according to Regulation (EU) 2015/830



Revision:03

Revision Date: 2024-08-22

Print Date : 2018-12-20

Tunnel code:	D/E
Transport category:	2

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific fort he substance or mixture

No data available
-------------------

### 15.2. Chemical safety assessment

A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.
---

## SECTION 16: Other information

### Other Information

<b>Other information</b>	This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010.
<b>Phrases used in s.2 and s.3:</b>	H225: Highly flammable liquid and vapour. H315: Causes skin irritation. H317: May cause an allergic skin reaction. H335: May cause respiratory irritation.
<b>Legal disclaimer:</b>	The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

### Further Information

-
---